

## ADAS Subroutine xxsszd

SUBROUTINE XXSSZD( USRGRP , USRTYP , USREXT )

```
C-----
C
C ***** FORTRAN77 SUBROUTINE: XXSSZD *****
C
C PURPOSE: ADAS ROUTINE - SETS UP THE DEFAULT USEGRP, USRTYP AND USREXT
C           WHICH IDENTIFY THE FILENAME AND EXTENSION TO BE READ IN
C           SUBROUTINE SSZD. IT WORKS IN THE SAME MANNER AS XXUID WHICH
C           WHICH ALLOWS THE DEFAULT USER SPACE TO BE SET
C
C
C           USRGRP: VALUE ON INPUT => USRGRP: VALUE ON OUTPUT
C
C           ?           CURRENT ADAS DATA GROUPNAME
C           *           DEFAULT ADAS DATA GROUPNAME
C           <BLANK>     *** USRGRP VALUE NOT CHANGED ***
C           <OTHER>    *** USRGRP VALUE NOT CHANGED ***
C
C
C           USRTYP: VALUE ON INPUT => USRTYP: VALUE ON OUTPUT
C
C           ?           CURRENT ADAS DATA TYPEPNAME
C           *           DEFAULT ADAS DATA TYPEGROUPNAME
C           <BLANK>     *** USRTYP VALUE NOT CHANGED ***
C           <OTHER>    *** USRTYP VALUE NOT CHANGED ***
C
C
C           USREXT: VALUE ON INPUT => USREXT: VALUE ON OUTPUT
C
C           ?           CURRENT ADAS DATA MEMBER EXTENS.
C           *           DEFAULT ADAS DATA MEMBER EXTENS
C           <BLANK>     *** USREXT VALUE NOT CHANGED ***
C           <OTHER>    *** USREXT VALUE NOT CHANGED ***
C
C           ? => QUERIES CURRENT ADAS DATA USRGRP, USRTYP OR USREXT
C                 SETTING.
C           * => SETS ADAS DATA USEGRP, USRTYP OR USREXT SETTING
C                 TO DEFAULT VALUE.
C           <BLANK> => SETS ADAS DATA USRGRP, USRTYP OR USREXT SETTING
C                 TO DEFAULT VALUE.
C           <OTHER> => SETS ADAS DATA USRGRP, USRTYP OR USREXT SETTING
C                 TO INPUT VALUE.
C
C CALLING PROGRAM: SSZD AND MAIN PROGRAMS USING SSZD
C
C SUBROUTINE:
C
C I/O   : (C*8)  USRGRP   = USRGRP UNDER WHICH ADAS DATA IS STORED
C                   (IF BLANK DEFAULTS TO DEFGRP)
C
C CA I/O : (C*80) USRTYP  = OPTIONAL SUBDIRECTORY FOR FILE
C                   (IF BLANK DEFAULTS TO DEFTYP)
```

C  
C (IF BLANK DEFAULTS TO DEFEXT)  
C  
C (C\*8) DEFGRP = PARAMETER = DEFAULT USER GROUP FOR ADAS  
C DATA SOURCE  
C  
CA (C\*80) DEFTYP = OPTIONAL SUB-DIRECTORY DEFAULT IS BLANK  
C DATA SOURCE  
C  
C (C\*3) DEFEXT = PARAMETER = DEFAULT USER EXTENSION FOR ADAS  
C DATA SOURCE  
C  
C (C\*8) ADASGR = CURRENT ADAS DATA SOURCE GROUP  
C  
CA (C\*80) ADASTY = OPTIONAL SUB-DIRECTORY  
C  
C (C\*3) ADASEX = CURRENT ADAS DATA SOURCE EXTENSION  
C  
C

C ROUTINES:

ROUTINE	SOURCE	BRIEF DESCRIPTION
-----		

C NOTE:

C TO CHECK CURRENT ADAS SOURCE USRGRP, USRTYP AND USREXT  
C CALL XXSSZD WITH ?'S AS INPUTS.  
C

C AUTHOR: HUGH P. SUMMERS, JET

C K1/1/67

C JET EXT. 4941  
C

C DATE: 2/09/93  
C

C UPDATE: L. JALOTA - 10/11/94 : MODIFIED FOR USE UNDER UNIX

C INCREASED STRING LENGTHS

C UPDATE: L. JALOTA - 22/11/94 : TIDIED UP CHARACTER LENGTH DEFINITIONS.  
C-----

CHARACTER*3	USREXT
CHARACTER*8	USRGRP
CHARACTER*80	USRTYP